



CORRECTION Open Access

Correction: Infestation of pine (*Pinus* sylvestris L.) seedlings with the pinewood nematode *Bursaphelenchus xylophilus* Steiner and Buhrer (Nickle) through wood sawdust



Elena N. Arbuzova¹, Oleg A. Kulinich^{1,2*}, Andrey A. Chalkin¹, Natalia I. Kozyreva¹, Vyacheslav V. Gorbach³ and Alexander Yu. Ryss⁴

Correction: Annals of Forest Science 80, 6 (2023) https://doi.org/10.1186/s13595-023-01174-y

Following publication of the original article (Arbuzova et al. 2023), the authors identified an error in the third paragraph of the *Introduction* section of their article.

Incorrect paragraph:

In 2008, outbreaks of PWN were detected in Spain, where it was probably introduced by Monochamus spp. vectors (EPPO 2010). The PWN outbreak in Spain has been eradicated (Zamora et al., 2015), but nematodes are intercepted annually by the National Plant Protection Organizations (NPPOs) in Europe and elsewhere in the world during consignment inspections.

Handling Editor: Christelle Robinet

The original article can be found online at https://doi.org/10.1186/s13595-023-01174-y.

*Correspondence: Oleg A. Kulinich

okulinich@mail.ru ¹ All-Russian Plant Quarantine Center, Bykovo, Moscow Region 140150, Russia

 ² Center for Parasitology, A.N. Severtsov Institute of Ecology and Evolution, Russian Academy of Sciences, Moscow 119071, Russia
³ Institute of Biology, Ecology and Agrotechnologies, Petrozavodsk State University, Petrozavodsk, Republic of Karelia 185910, Russia
⁴ Zoological Institute, Russian Academy of Sciences, St.

Petersburg 199034, Russia

Correct paragraph:

In 2008, outbreaks of PWN were detected in Spain, where it was probably introduced by Monochamus spp. vectors (EPPO, 2010; Zamora et al., 2015). The PWN outbreak in Spain is under eradication, but nematodes are intercepted annually by the National Plant Protection Organizations (NPPOs) in Europe and elsewhere in the world during consignment inspections.

The original article (Arbuzova et al. 2023) has been corrected.

Published online: 22 February 2024

References

Arbuzova EN, Kulinich OA, Chalkin AA et al (2023) Infestation of pine (Pinus sylvestris L.) seedlings with the pinewood nematode Bursaphelenchus xylophilus Steiner and Buhrer (Nickle) through wood sawdust. Annals of Forest Science 80:6. https://doi.org/10.1186/s13595-023-01174-y



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.